according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 27 Jan 2023 Print date: 27 Jan 2023

Version: 3.1
Page 1/11



OBTEGO R-50

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

OBTEGO R-50

1.2. Relevant identified uses of the substance or mixture and uses advised against

No data available

1.3. Details of the supplier of the safety data sheet

Manufacturer:

OBTEGO AG

Landshuter Straße 36 84051 Essenbach/Altheim

Germany

Telephone: +49 8703/93844-0
Telefax: +49 8703/93844-29
E-mail: sdb@obtego.com
Website: www.obtego.com

E-mail (competent person): sdb@obtego.com

1.4. Emergency telephone number

24h: +49(0)89-19240

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

According to EC directives or the corresponding national regulations the product does not have to be labelled.

Hazard statements: none

Supplemental hazard information	
EUH208	Contains KATHON CG. May produce an allergic reaction.

Precautionary statements Prevention		
P260	Do not breathe dust/fume/gas/mist/vapours/spray.	
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.	

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 34590-94-8 EC No.: 252-104-2	(2-methoxymethylethoxy)propanol Substance with a community workplace exposure limit.	0 - ≤ 2 weight-%
REACH No.: 01-2119450011-60-XXXX		
CAS No.: 2943-75-1 EC No.: 220-941-2	triethoxyoctylsilane Skin Irrit. 2 (H315)	0 - ≤ 2 weight-%
REACH No.: 01-2119972313-39-0001	♦ Warning	

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 27 Jan 2023 Print date: 27 Jan 2023

Version: 3.1 Page 2/11



OBTEGO R-50

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 55965-84-9 Index No.: 613-167-00-5	KATHON CG Acute Tox. 2 (H330, H310), Acute Tox. 3 (H301), Aquatic Acute 1 (H400), Aquatic Chronic 1 (H410), Eye Dam. 1 (H318), Skin Corr. 1C (H314), Skin Sens. 1A (H317)	0 - ≤ 0.0014 weight-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

Following inhalation:

Provide fresh air.

Following ingestion:

Rinse mouth. Get medical advice/attention if you feel unwell. Let 1 glass of water be drunken in little sips (dilution effect).

4.2. Most important symptoms and effects, both acute and delayed

No known symptoms to date.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

The product itself does not burn.

Unsuitable extinguishing media:

Full water iet

5.2. Special hazards arising from the substance or mixture

Pyrolysis products, toxic

Hazardous combustion products:

In case of fire: Gases/vapours, toxic: Nitrogen oxides (NOx), Carbon dioxide (CO2), Carbon monoxide

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Dispose of waste according to applicable legislation. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Special danger of slipping by leaking/spilling product. Provide adequate ventilation. Remove persons to safety. Avoid breathing dust/fume/gas/mist/vapours/spray.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 27 Jan 2023 Print date: 27 Jan 2023

Version: 3.1 Page 3/11



OBTEGO R-50

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up:

Wipe up with absorbent material (eg. cloth, fleece). Wash with plenty of water.

Other information:

Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

6.5. Additional information

Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Provide adequate ventilation. Wear personal protection equipment (refer to section 8).

Fire prevent measures:

Usual measures for fire prevention.

Measures to prevent aerosol and dust generation:

Use only in well-ventilated areas.

Environmental precautions:

Do not allow to enter into surface water or drains.

Advices on general occupational hygiene

Wash hands before breaks and after work. Use protective skin cream before handling the product. When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

Packaging materials:

Keep/Store only in original container.

Requirements for storage rooms and vessels:

The floor should be leak tight, jointless and not absorbent.

Hints on storage assembly:

Do not store together with: Food and feedingstuffs

Storage class (TRGS 510, Germany): 12 - non-combustible liquids that cannot be assigned to any of the above storage classes

Further information on storage conditions:

Protect containers against damage. Keep away from heat.

7.3. Specific end use(s)

Recommendation:

Observe technical data sheet.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 27 Jan 2023 Print date: 27 Jan 2023

Version: 3.1 Page 4/11



OBTEGO R-50

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	 Long-term occupational exposure limit value Short-term occupational exposure limit value Instantaneous value Monitoring and observation processes Remark
IOELV (EU)	(2-methoxymethylethoxy)propanol CAS No.: 34590-94-8 EC No.: 252-104-2	① 50 ppm (308 mg/m³) ⑤ (may be absorbed through the skin)
TRGS 900 (DE)	(2-methoxymethylethoxy)propanol CAS No.: 34590-94-8 EC No.: 252-104-2	① 50 ppm (310 mg/m³) ② 50 ppm (310 mg/m³) ⑤ (Aerosol und Dampf) DFG, EU, 11

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
(2-methoxymethylethoxy)propanol CAS No.: 34590-94-8 EC No.: 252-104-2	310 mg/m ³	① DNEL worker ② Long-term – inhalation, systemic effects
(2-methoxymethylethoxy)propanol CAS No.: 34590-94-8 EC No.: 252-104-2	37.2 mg/m ³	① DNEL Consumer ② Long-term – inhalation, systemic effects
(2-methoxymethylethoxy)propanol CAS No.: 34590-94-8 EC No.: 252-104-2	65 mg/kg bw/ day	① DNEL worker ② Long-term - dermal, systemic effects
(2-methoxymethylethoxy)propanol CAS No.: 34590-94-8 EC No.: 252-104-2	15 mg/kg bw/ day	① DNEL Consumer ② Long-term - dermal, systemic effects
(2-methoxymethylethoxy)propanol CAS No.: 34590-94-8 EC No.: 252-104-2	1.67 mg/kg bw/day	DNEL Consumer Long-term - oral, systemic effects

Substance name PNEC Value		① PNEC type	
(2-methoxymethylethoxy)propanol CAS No.: 34590-94-8 EC No.: 252-104-2	19 mg/L	① PNEC aquatic, freshwater	
(2-methoxymethylethoxy)propanol CAS No.: 34590-94-8 EC No.: 252-104-2	1.9 mg/L	① PNEC aquatic, marine water	
(2-methoxymethylethoxy)propanol CAS No.: 34590-94-8 EC No.: 252-104-2	4,168 mg/L	① PNEC sewage treatment plant	
(2-methoxymethylethoxy)propanol CAS No.: 34590-94-8 EC No.: 252-104-2	70.2 mg/kg	① PNEC sediment, freshwater	
(2-methoxymethylethoxy)propanol CAS No.: 34590-94-8 EC No.: 252-104-2	7.02 mg/kg	① PNEC sediment, marine water	
(2-methoxymethylethoxy)propanol CAS No.: 34590-94-8 EC No.: 252-104-2	190 mg/L	① PNEC air	

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 27 Jan 2023 Print date: 27 Jan 2023

Version: 3.1 Page 5/11



OBTEGO R-50

Substance name	PNEC Value	① PNEC type
(2-methoxymethylethoxy)propanol CAS No.: 34590-94-8 EC No.: 252-104-2	2.74 mg/kg	① PNEC soil, freshwater

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Technical measures to prevent exposure

8.2.2. Personal protection equipment

Eye/face protection:

Eye glasses with side protection EN 166

Skin protection:

Tested protective gloves must be worn EN ISO 374. Suitable material: Butyl caoutchouc (butyl rubber), Breakthrough time: > 120 min. In the case of wanting to use the gloves again, clean them before taking off and air them well. Breakthrough times and swelling properties of the material must be taken into consideration.

Respiratory protection:

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Respiratory protection necessary at: aerosol or mist formation. Filtering device (full mask or mouthpiece) with filter: A-P2

Other protection measures:

Wear suitable protective clothing.

8.2.3. Environmental exposure controls

See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid Colour: not determined

Odour: not determined

Safety relevant basis data

Parameter	Value	at °C	① Method
			② Remark
рН	9	20 °C	
Melting point	not determined		
Freezing point	not determined		
Initial boiling point and boiling range	not determined		
Decomposition temperature	not determined		
Flash point	not determined		
Evaporation rate	not determined		
Auto-ignition temperature	not determined		
Upper/lower flammability or explosive limits	not determined		
Vapour pressure	not determined		
Vapour density	not determined		
Density	1.025 g/cm ³	20 °C	
Relative density	not determined		
Bulk density	not determined		
Water solubility	not determined		
Partition coefficient: n-octanol/water	not determined		
Dynamic viscosity	not determined		
Kinematic viscosity	not determined		

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 27 Jan 2023 Print date: 27 Jan 2023

Version: 3.1 Page 6/11



OBTEGO R-50

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

See section 7. No additional measures necessary.

10.5. Incompatible materials

Materials to avoid: Oxidising agent

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

(2-methoxymethylethoxy)propanol CAS No.: 34590-94-8 EC No.: 252-104-2

LD₅₀ oral: 5,140 mg/kg (Ratte)

LD₅₀ dermal: 9,510 mg/kg (Kaninchen)

triethoxyoctylsilane CAS No.: 2943-75-1 EC No.: 220-941-2

LD₅₀ oral: >5,110 mg/kg (Rat) OECD 401

LD₅₀ dermal: 6,730 mg/kg (Rabbit) OECD 402

LC₅₀ Acute inhalation toxicity (vapour): 22 mg/L 4 h (Rat) OECD 403

KATHON CG CAS No.: 55965-84-9

ATE oral: >5,000 mg/kg
ATE dermal: >3,700 mg/kg

ATE inhalativ Stäube+Nebel: >5 mg/L

LD₅₀ oral: 200 mg/kg (rat) OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)

LD₅₀ dermal: >1,008 mg/kg (rat)

LC₅₀ Acute inhalation toxicity (dust/mist): 0.171 mg/L 4 h (rat) OECD Guideline 403 (Acute Inhalation Toxicity)

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation:

Contains KATHON CG. May produce an allergic reaction.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 27 Jan 2023 Print date: 27 Jan 2023

Version: 3.1 Page 7/11



OBTEGO R-50

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Additional information:

No data available

11.2. Information on other hazards

No data available

SECTION 12: Ecological information

12.1. Toxicity

(2-methoxymethylethoxy)propanol CAS No.: 34590-94-8 EC No.: 252-104-2

LC₅₀: 10,000 mg/L 4 d (fish, Pimephales promelas (fathead minnow))

EC₅₀: 1,919 mg/L 2 d (Daphnia magna (Big water flea))

LC₅₀: >1,000 mg/L 4 d (fish, Poecilia reticulata)

LC₅₀: >1,000 mg/L 2 d (crustaceans, Crangon crangon) EPA OPP 72-3 (Estuarine/Marine Fish, Mollusk, or Shrimp Acute Toxicity Test)

LC₅₀: >1,000 mg/L 3 d (crustaceans, Crangon crangon) EPA OPP 72-3 (Estuarine/Marine Fish, Mollusk, or Shrimp Acute Toxicity Test)

LC₅₀: >1,000 mg/L 4 d (crustaceans, Crangon crangon) EPA OPP 72-3 (Estuarine/Marine Fish, Mollusk, or Shrimp Acute Toxicity Test)

EC₅₀: >969 mg/L 3 d (Algae/water plant, Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum))

EC₅₀: >969 mg/L 4 d (Algae/water plant, Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum))

NOEC: 969 mg/L 3 d (Algae/water plant, Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata Selenastrum capricornutum))

NOEC: 969 mg/L 4 d (Algae/water plant, Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum))

LOEC: 0.5 mg/L 22 d (crustaceans, Daphnia magna)

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 27 Jan 2023 Print date: 27 Jan 2023

Version: 3.1 Page 8/11



OBTEGO R-50

KATHON CG CAS No.: 55965-84-9

EC₅₀: 0.1 mg/L 2 d (Daphnia magna (Big water flea)) OECD 202

EC₅₀: 0.048 mg/L 3 d (Pseudokirchneriella subcapitata) OECD 201

EC₅₀: 0.22 mg/L 4 d (Oncorhynchus mykiss (Rainbow trout)) OECD 203

NOEC: 0.004 mg/L 21 d (Daphnia magna (Big water flea)) OECD 211

NOEC: 0.098 mg/L 28 d (Oncorhynchus mykiss (Rainbow trout)) OECD 210

NOEC: 0.0012 mg/L 3 d (Pseudokirchneriella subcapitata) OECD 201

EC₅₀: 7.92 mg/L (Activated sludge) OECD 209

LC₅₀: 0.19 mg/L 4 d (fish, Oncorhynchus mykiss (previous name: Salmo gairdneri)) EPA OPP 72-1 (Fish Acute Toxicity Test)

LC₅₀: 0.18 mg/L 2 d (crustaceans, Daphnia magna) EPA OPP 72-2 (Aquatic Invertebrate Acute Toxicity Test)

LC₅₀: 0.282 mg/L 4 d (crustaceans, Americamysis bahia (previous name: Mysidopsis bahia)) EPA OPPTS 850.1035 (Mysid Acute Toxicity Test)

EC₅₀: 0.0181 mg/L 2 d (Algae/water plant, Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum))

EC₅₀: 0.0063 mg/L 3 d (Algae/water plant, Skeletonema costatum)

EC₅₀: 0.0357 mg/L 4 d (Algae/water plant, Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum))

EC₅₀: 0.099 mg/L 2 d (crustaceans, Daphnia magna) OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)

NOEC: 0.00049 mg/L 2 d (Algae/water plant, Skeletonema costatum)

NOEC: 0.0014 mg/L 3 d (Algae/water plant, Skeletonema costatum)

NOEC: 0.13 mg/L 4 d (fish, Oncorhynchus mykiss (previous name: Salmo gairdneri)) EPA OPP 72-1 (Fish Acute Toxicity Test)

NOEC: 0.098 mg/L 28 d (fish, Oncorhynchus mykiss (previous name: Salmo gairdneri)) OECD Guideline 215 (Fish, Juvenile Growth Test)

NOEC: 0.1 mg/L 21 d (crustaceans, Daphnia magna) EPA OPP 72-4 (Fish Early Life-Stage and Aquatic Invertebrate Life-Cycle Studies)

LOEC: 0.144 mg/L 28 d (fish, Oncorhynchus mykiss (previous name: Salmo gairdneri)) OECD Guideline 215 (Fish, Juvenile Growth Test)

12.2. Persistence and degradability

triethoxyoctylsilane CAS No.: 2943-75-1 EC No.: 220-941-2

Biodegradation: Yes, slowly

KATHON CG CAS No.: 55965-84-9 **Biodegradation:** Yes, rapidly

12.3. Bioaccumulative potential

(2-methoxymethylethoxy)propanol CAS No.: 34590-94-8 EC No.: 252-104-2

Log K_{OW}: 0.001

triethoxyoctylsilane CAS No.: 2943-75-1 EC No.: 220-941-2

Log K_{OW}: 6.41

Bioconcentration factor (BCF): 1,980 Species: Cyprinus carpio

KATHON CG CAS No.: 55965-84-9

Log Kow: 0.75

Bioconcentration factor (BCF): 3.6

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

(2-methoxymethylethoxy)propanol CAS No.: 34590-94-8 EC No.: 252-104-2

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

triethoxyoctylsilane CAS No.: 2943-75-1 EC No.: 220-941-2

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 27 Jan 2023 Print date: 27 Jan 2023

Version: 3.1 Page 9/11



OBTEGO R-50

KATHON CG CAS No.: 55965-84-9

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product

08 02 99 Wastes not otherwise specified

Waste code packaging

15 01 02 Plastic packaging

Waste treatment options

Appropriate disposal / Product:

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package:

Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN number or I	D number		-
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.2. UN proper ship	ping name		
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.3. Transport hazaı	rd class(es)	,	
not relevant	not relevant	not relevant	not relevant
14.4. Packing group			
not relevant	not relevant	not relevant	not relevant
14.5. Environmental hazards			
not relevant	not relevant	not relevant	not relevant
14.6. Special precaut	ions for user		
not relevant	not relevant	not relevant	not relevant

14.7. Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Other regulations (EU):

2008/98/EC, 2001/118/EC, 1999/13/EC, 2004/42/EC, (EC) No. 1907/2006, (EU) 2015/830, 75/324/EEC, 2008/47/EC, (EC) No. 1272/2008, 2008/68/EC, (EC) No. 648/2004

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 27 Jan 2023 Print date: 27 Jan 2023

Version: 3.1 Page 10/11



OBTEGO R-50

Information on Directive 1999/13 / EC on the limitation of emissions of volatile organic compounds (VOC-RL): VOC (in q / L): 27 g/l

VOC EU limit (2004/42 / EC) (Cat IIA /i): 140 g/l, VOC value 27 g/l

This product meets the requirements of Regulation (EC) No. 1935/2004 on the limitation of VOC content.

15.1.2. National regulations

[DE] National regulations

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Observe restrictions to employment for juveniles according to the 'juvenile work protection quideline' (94/33/EC).

Störfallverordnung (12. BlmschV)

Remark:

Not subject to StörfallVO.

Water hazard class

WGK:

1 - schwach wassergefährdend

15.2. Chemical Safety Assessment

No data available

SECTION 16: Other information

16.1. Indication of changes

No data available

16.2. Abbreviations and acronyms

See overview table at www.euphrac.eu

16.3. Key literature references and sources for data

Substance name	Туре	source of supply
KATHON CG CAS No.: 55965-84-9	LD_{50} oral; LD_{50} dermal; LC_{50} Acute inhalation toxicity (dust/mist); LC_{50} ; EC_{50} ; NOEC; LOEC	Source: European Chemicals Agency, http://echa.europa.eu/
(2-methoxymethylethoxy)propanol CAS No.: 34590-94-8 EC No.: 252-104-2	LC ₅₀ ; EC ₅₀ ; NOEC; LOEC	Source: European Chemicals Agency, http://echa.europa.eu/

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard state	Hazard statements	
H301	Toxic if swallowed.	
H310	Fatal in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H330	Fatal if inhaled.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	

Supplemental hazard information EUH071 Corrosive to the respiratory tract.

16.6. Training advice

No data available

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 27 Jan 2023 Print date: 27 Jan 2023

Version: 3.1 Page 11/11



OBTEGO R-50

16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.